

Catalog Number	Item Description
CD5.121	DC/DC Converter, 96W, 18-32VDC In, 12-15VDC Out, 8-6.4A
CD5.241	DC/DC Converter, 120W, 18-32VDC In, 23-28VDC Out, 5-4.3A
CD5.241-L1	DC/DC Converter, 92W, 14-32VDC In, 24VDC Out, 3.8A, NEC Class 2
CD5.241-S1	DC/DC Converter, 120W, 18-32VDC In, 23-28VDC Out, 5-4.3A with Signal Contacts
CD5.242	DC/DC Converter, 120W, 36-60VDC In, 23-28VDC Out, 5-4.3A
CD5.243	DC/DC Converter, 96W, 9-14VDC In, 23-28VDC Out, 4.2-3.4A
CS10.241	Power Supply, 240W, 120/208/240VAC 1PH, 24-28VDC, 10-8.6A
CS10.241-S1	Power Supply, 240W, 120/208/240VAC 1PH, 24-28VDC, 10-8.6A with Spring Clamps
CS10.242	Power Supply, 240W, 120/208/240VAC 1PH, 24-28VDC, 10-8.6-A with PFC
CS10.243	Power Supply, 240W, 120VAC 1PH, 24-28VDC, 10-8.6A
CS10.244	Power Supply, 240W, 208-240VAC 1PH, 24-28VDC, 10-8.6A
CS10.481	Power Supply, 240W, 120/208/240VAC 1PH, 48-52VDC, 5-4.6A
CS3.241	Power Supply, 80W, 120-240VAC 1PH, 24-28VDC, 3.3-2.7A
CS5.241	Power Supply, 120W, 120/208/240VAC 1PH, 24-28VDC, 5-4.3A
CS5.241-C1	Power Supply, 120W, 120/208/240VAC 1PH, 24-28VDC, 5-4.3A with Conformal Coating
CS5.241-S1	Power Supply, 120W, 120/208/240VAC 1PH, 24-28VDC, 5-4.3A with Spring Clamps
CS5.243	Power Supply, 120W, 120VAC 1PH, 24-28VDC, 5-4.3A
CS5.244	Power Supply, 120W, 208-240VAC 1PH, 24-28VDC, 5-4.3A
CT10.241	Power Supply, 240W, 380-480VAC 3PH, 24-28VDC, 10-9A
CT10.481	Power Supply, 240W, 380-480VAC 3PH, 48-52VDC, 5-4.6A
CT5.121	Power Supply, 96W, 380-480VAC Input, 12-15VDC, 8-6.4A
CT5.241	Power Supply, 120W, 380-480VAC Input, 24-28VDC, 5-4.5A
ML100.100	Power Supply, 100W, 120/208/240VAC 1PH, 24-28VDC, 4.2-3.6A
ML100.102	Power Supply, 90W, 120/208/240VAC 1PH, 12-15VDC, 7.5-6A
ML100.105	Power Supply, 100W, 120/208/240VAC 1PH, 48-56VDC, 2.1-1.8A
ML100.109	Power Supply, 100W, 120/208/240VAC 1PH, 24-28VDC, 4.2-3.6A with Conformal Coating
ML100.200	Power Supply, 100W, 380-480VAC Input, 24-28VDC, 4.2-3.6A
ML15.051	Power Supply, 15W, 120-240VAC 1PH, 5-5.5VDC, 3A
ML15.121	Power Supply, 15W, 120-240VAC 1PH, 12-15VDC, 1.3-1A
ML15.241	Power Supply, 15W, 120-240VAC 1PH, 24-28VDC, 0.63-0.54A
ML30.100	Power Supply, 30W, 120-240VAC 1PH, 24-28VDC, 1.3-1A
ML30.101	Power Supply, 25W, 120-240VAC 1PH, 5-5.5VDC, 5-4.5A
ML30.102	Power Supply, 30W, 120-240VAC 1PH, 10-12VDC, 3-2.5A
ML30.106	Power Supply, 36W, 120-240VAC 1PH, ± 12 or ± 15 VDC, 0-2.8A
ML30.241	Power Supply, 30W, 120-240VAC 1PH, 24-28VDC, 1.3-1.1A
ML50.100	Power Supply, 50W, 120-240VAC 1PH, 24-28VDC, 2.1-1.8A
ML50.101	Power Supply, 50W, 120-240VAC 1PH, 24-28VDC, 2.1-1.8A with Paralleling
ML50.102	Power Supply, 50W, 120-240VAC 1PH, 12-15VDC, 4.2-3.4A
ML50.105	Power Supply, 50W, 120-240VAC 1PH, 48-56VDC, 1.05-0.9A
ML50.109	Power Supply, 50W, 120-240VAC 1PH, 24-28VDC, 2.1-1.8A with Conformal Coating
ML50.111	Power Supply, 50W, 120-240VAC 1PH, 24-28VDC, 2.1-1.8A with Screw Terminals
ML60.121	Power Supply, 54W, 120-240VAC 1PH, 12-15VDC, 4.4-3.6A
ML60.122	Power Supply, 54W, 120-240VAC 1PH, 12-15VDC, 4.4-3.6A with -40°C Rating
ML60.241	Power Supply, 60W, 120-240VAC 1PH, 24-28VDC, 2.5-2.1A
ML60.242	Power Supply, 60W, 120-240VAC 1PH, 24-28VDC, 2.5-2.1A with -40°C Rating
ML70.100	Power Supply, 72W, 120/208/240VAC 1PH, 24-28VDC, 3-2.6A
ML90.200	Power Supply, 90W, 380-480VAC Input, 24-28VDC, 3.75-3.2A
ML95.100	Power Supply, 95W, 120/208/240VAC 1PH, 24-28VDC, 3.9-3.2A
MLY02.100	Redundancy Module, 10-60VDC, 10A, Dual Input
MLY10.241	Redundancy Module, 10-60VDC, 10A, Dual Input with Screw Terminals
QS10.121	Power Supply, 180W, 120-240VAC 1PH, 12-15VDC, 15-12A
QS10.241	Power Supply, 240W, 120-240VAC 1PH, 24-28VDC, 10-9A
QS10.241-A1	Power Supply, 240W, 120-240VAC 1PH, 24-28VDC, 10-9A with ATEX Approval
QS10.241-C1	Power Supply, 240W, 120-240VAC 1PH, 24-28VDC, 10-9A with Conformal Coating
QS10.301	Power Supply, 240W, 120-240VAC 1PH, 28-32VDC, 8.6-7.5A
QS10.481	Power Supply, 240W, 120-240VAC 1PH, 48-56VDC, 5-4.3A
QS10.DNET	DeviceNet Power Supply, 192W, 120-240VAC 1PH, 24VDC, 8A
QS20.241	Power Supply, 480W, 120-240VAC 1PH, 24-28VDC, 20-17.5A
QS20.241-A1	Power Supply, 480W, 120-240VAC 1PH, 24-28VDC, 20-17.5A with ATEX Approval
QS20.241-C1	Power Supply, 480W, 120-240VAC 1PH, 24-28VDC, 20-17.5A with Conformal Coating
QS20.244	Power Supply, 480W, 208-240VAC 1PH, 24-28VDC, 20-17.5A

QS20.361	Power Supply, 480W, 120-240VAC 1PH, 36-42VDC, 13.3-11.4A
QS20.481	Power Supply, 480W, 120-240VAC 1PH, 48-55VDC, 10-8.7A
QS3.241	Power Supply, 80W, 120-240VAC 1PH, 24-28VDC, 3.4-3A
QS40.244	Power Supply, 960W, 208-240VAC 1PH, 24-28VDC, 40-34.3A
QS40.484	Power Supply, 960W, 208-240VAC 1PH, 48-56VDC, 20-17.8A
QS5.241	Power Supply, 120W, 120-240VAC 1PH, 24-28VDC, 5-4.5A
QS5.241-A1	Power Supply, 120W, 120-240VAC 1PH, 24-28VDC, 5-4.5A with ATEX Approval
QS5.DNET	DeviceNet Power Supply, 92W, 120-240VAC 1PH, 24VDC, 3.8A
QT20.241	Power Supply, 480W, 380-480VAC 3PH, 24-28VDC, 20-17.5A
QT20.241-C1	Power Supply, 480W, 380-480VAC 3PH, 24-28VDC, 20-17.5A with Conformal Coating
QT20.361	Power Supply, 480W, 380-480VAC 3PH, 36-42VDC, 13.3-11.4A
QT20.481	Power Supply, 480W, 380-480VAC 3PH, 48-55VDC, 10-8.7A
QT40.241	Power Supply, 960W, 380-480VAC 3PH, 24-28VDC, 40-34.3A
QT40.481	Power Supply, 960W, 380-480VAC 3PH, 48-55VDC, 20-17.5A
QTD20.241	DC/DC Converter, 480W, 360-600VDC In, 24-28VDC Out, 20-17.5A
SL10.100	Power Supply, 240W, 120/208/240VAC 1PH, 24-28VDC, 10-8.6A
SL10.101	Power Supply, 240W, 120/208/240VAC 1PH, 48-56VDC, 5-4.3A
SL10.104	Power Supply, 180W, 120/208/240VAC 1PH, 12-15VDC, 15-12A
SL10.105	Power Supply, 240W, 120/208/240VAC 1PH, 24-28VDC, 10-8.6A with PFC
SL10.106	Power Supply, 240W, 120/208/240VAC 1PH, 48-56VDC, 5-4.3A with PFC
SL10.300	Power Supply, 240W, 380-480VAC 3PH, 24-28VDC, 10-8.6A
SL10.305	Power Supply, 240W, 380-480VAC 3PH, 48-52VDC, 5-4.6A
SL10.309	Power Supply, 240W, 380-480VAC 3PH, 24-28VDC, 10-8.6A with Conformal Coating
SL2.100	Power Supply, 60W, 120/208/240VAC 1PH, 24VDC, 2.5A
SL2.103	Power Supply, 40W, 120/208/240VAC 1PH, 12-15VDC, 3-2.7A
SL20.100	Power Supply, 480W, 208-240VAC 1PH, 24-28VDC, 20-18A
SL20.101	Power Supply, 480W, 208-240VAC 1PH, 24-28VDC, 20-18A with PFC
SL20.110	Power Supply, 480W, 120/208/240VAC 1PH, 24-28VDC, 20-18A
SL20.111	Power Supply, 480W, 120/208/240VAC 1PH, 24-28VDC, 20-18A with PFC
SL20.112	Power Supply, 480W, 120/208/240VAC 1PH, 36-43VDC, 13.3-11.2A
SL20.113	Power Supply, 480W, 120/208/240VAC 1PH, 48-56VDC, 10-8.6A
SL20.115	Power Supply, 480W, 120/208/240VAC 1PH, 24-28VDC, 20-18A
SL20.300	Power Supply, 480W, 380-400VAC 3PH, 24-28VDC, 18-20A
SL20.301	Power Supply, 480W, 480VAC 3PH, 24-28VDC, 20-18A
SL20.303	Power Supply, 480W, 380-400VAC 3PH, 48-56VDC, 9-10A
SL20.310	Power Supply, 480W, 380-480VAC 3PH, 24-28VDC, 20-18A
SL30.100	Power Supply, 720W, 208-240VAC 1PH, 24-28VDC, 30-26A
SL30.300	Power Supply, 720W, 380-480VAC 3PH, 24-28VDC, 30-26A
SL4.100	Power Supply, 96W, 120/208/240VAC 1PH, 24VDC, 4A
SL40.300	Power Supply, 960W, 380-480VAC 3PH, 24-28VDC, 40-35A
SL40.301	Power Supply, 960W, 380-480VAC 3PH, 24-28VDC, 40-35A with Signaling
SL5.100	Power Supply, 120W, 120/208/240VAC 1PH, 24VDC, 5A
SL5.102	Power Supply, 120W, 120/208/240VAC 1PH, 24-28VDC, 5-4.3A
SL5.105	Power Supply, 120W, 120/208/240VAC 1PH, 24-28VDC, 5-4.3A with PFC
SL5.300	Power Supply, 120W, 380-480VAC 3PH, 24-28VDC, 5-4.3A
SLA3.100	AS-Interface Power Supply, 85W, 120/208/240VAC 1PH, 30.5VDC, 2.8A
SLA4.100	AS-Interface Power Supply, 120W, 120/208/240VAC 1PH, 30.5VDC, 4A
SLA8.100	AS-Interface Power Supply, 240W, 120/208/240VAC 1PH, 30.5VDC, 8A
SLA8.300	AS-Interface Power Supply, 240W, 380-480VAC 3PH, 30.5VDC, 8A
SLAD4.100	AS-Interface DC/DC Converter, 120W, 18-32VDC In, 30.5VDC Out, 4A
SLD2.100	DC/DC Converter, 40W, 18-36VDC In, 4.5-5.5VDC Out, 8A
SLR01	Redundancy Module, 24-28VDC, 40A, Single Input
SLR02	Redundancy Module, 24-28VDC, 30A, Dual Input
SLR10.100	Redundancy Power Supply, 240W, 120/208/240VAC 1PH, 24VDC, 10A
SLR2.100	Redundancy Power Supply, 60W, 120/208/240VAC 1PH, 24VDC, 2.5A
SLR5.100	Redundancy Power Supply, 120W, 120/208/240VAC 1PH, 24VDC, 5A
SLV20.200	Buffer Module, 24-28VDC, 20A
SLZ02	Mounting Bracket, For Panel Mounting SilverLine Power Supplies
SLZ10	Adapter, 40mm, For S7-300 Rail
SLZ11	Adapter, 51mm, For S7-300 Rail
SLZ12	Adapter, 66mm, For S7-300 Rail
SLZ13	Adapter, 90mm, For S7-300 Rail

SLZ14	Adapter, 121mm, For S7-300 Rail
UB10.241	DC-UPS Controller, 24VDC, 10A, For 3.9-40Ah Battery
UB10.242	DC-UPS Controller, 24VDC, 10A, For 17-130Ah Battery
UB10.245	DC-UPS Controller, 10A, 24-28VDC & 5A, 12VDC Out, 240W Max. For 3.9-40Ah Battery
UBC10.241	DC-UPS, 24VDC, 10A with Internal 5Ah Battery
UBC10.241-N1	DC-UPS, 24VDC, 10A without Internal 5Ah Battery
UF20.241	Buffer Module, 24-28VDC, 20A
UF20.481	Buffer Module, 48-56VDC, 20A
UZB12.051	Battery Only, For DC-UPS, 12V, 5Ah (Replacement)
UZB12.071	Battery Only, For DC-UPS, 12V, 7Ah (Replacement)
UZB12.261	Battery Only, For DC-UPS, 12V, 26Ah (Replacement)
UZK12.071	Battery with Mounting Kit, For DC-UPS, 12V, 7Ah
UZK12.261	Battery with Mounting Kit, For DC-UPS, 12V, 26Ah
UZO12.07	Mounting Kit Only, For 7Ah Battery
UZO12.26	Mounting Kit Only, For 26Ah Battery
XT40.241	Power Supply for Power Applications, 960W, 380-400VAC 3PH, 24VDC, 40A
XT40.242	Power Supply for Power Applications, 960W, 480VAC 3PH, 24VDC, 40A
XT40.361	Power Supply for Power Applications, 960W, 380-400VAC 3PH, 36VDC, 26.6A
XT40.362	Power Supply for Power Applications, 960W, 480VAC 3PH, 36VDC, 26.6A
XT40.481	Power Supply for Power Applications, 960W, 380-400VAC 3PH, 48VDC, 20A
XT40.482	Power Supply for Power Applications, 960W, 480VAC 3PH, 48VDC, 20A
XT40.721	Power Supply for Power Applications, 960W, 380-400VAC 3PH, 72VDC, 13.3A
XT40.722	Power Supply for Power Applications, 960W, 480VAC 3PH, 72VDC, 13.3A
YR2.DIODE	Redundancy Module, 10-60VDC, 20A, Dual Input
YR40.241	Redundancy Module, 24-28VDC, 40A, Dual Input
YR80.241	Redundancy Module, 24-28VDC, 80A, Dual Input
YRM2.DIODE	Redundancy Module, 24-60VDC, 20A, Dual Input with Monitor
ZM1.UBC10	Mounting Bracket, For Panel Mounting UBC10 DC-UPS
ZM1.WALL	Mounting Bracket, For Panel Mounting Dimension Power Supplies
ZM11.SIDE	Mounting Bracket, For Side Mounting Dimension Power Supplies
ZM12.SIDE	Mounting Bracket, For Side Mounting Dimension Power Supplies
ZM13.SIDE	Mounting Bracket, For Side Mounting Dimension Power Supplies
ZM14.SIDE	Mounting Bracket, For Side Mounting Dimension Power Supplies
ZM15.SIDE	Mounting Bracket, For Side Mounting Dimension Power Supplies
ZM2.WALL	Mounting Bracket, For Panel Mounting Large Dimension Power Supplies

List Price (USD)
\$333.00
\$300.00
\$350.00
\$344.00
\$322.00
\$322.00
\$274.00
\$305.00
\$311.00
\$244.00
\$244.00
\$344.00
\$155.00
\$205.00
\$255.00
\$233.00
\$178.00
\$178.00
\$344.00
\$422.00
\$311.00
\$289.00
\$162.00
\$210.00
\$210.00
\$244.00
\$239.00
\$72.00
\$72.00
\$64.00
\$95.00
\$124.00
\$133.00
\$139.00
\$100.00
\$124.00
\$151.00
\$155.00
\$140.00
\$178.00
\$151.00
\$155.00
\$178.00
\$128.00
\$167.00
\$144.00
\$239.00
\$209.00
\$61.00
\$61.00
\$416.00
\$384.00
\$577.00
\$477.00
\$444.00
\$513.00
\$466.00
\$533.00
\$844.00
\$605.00
\$477.00

\$694.00
\$583.00
\$205.00
\$755.00
\$910.00
\$281.00
\$444.00
\$333.00
\$542.00
\$605.00
\$720.00
\$611.00
\$722.00
\$866.00
\$544.00
\$354.00
\$473.00
\$523.00
\$444.00
\$478.00
\$371.00
\$473.00
\$467.00
\$186.00
\$203.00
\$613.00
\$602.00
\$602.00
\$624.00
\$686.00
\$675.00
\$647.00
\$549.00
\$549.00
\$563.00
\$549.00
\$709.00
\$664.00
\$296.00
\$759.00
\$816.00
\$281.00
\$281.00
\$344.00
\$309.00
\$506.00
\$574.00
\$788.00
\$1,082.00
\$662.00
\$298.00
\$182.00
\$198.00
\$455.00
\$222.00
\$315.00
\$336.00
\$18.00
\$27.00
\$27.00
\$27.00
\$27.00

\$32.00
\$433.00
\$455.00
\$511.00
\$542.00
\$466.00
\$365.00
\$365.00
\$133.00
\$178.00
\$377.00
\$255.00
\$455.00
\$89.00
\$89.00
\$611.00
\$611.00
\$666.00
\$666.00
\$611.00
\$611.00
\$694.00
\$694.00
\$100.00
\$194.00
\$322.00
\$133.00
\$33.00
\$18.00
\$27.00
\$27.00
\$27.00
\$31.00
\$31.00
\$33.00